

## ASB-40W SOUNDBAR

### Accessories:



### Product View:



Remote Control



Key panel



Interface

## **ASB-40W SOUNDBAR**

### **Product features:**

- 2.0ch detachable soundbar
- Wireless Bluetooth V5.0 input
- HDMI / ARC input
- Optical input
- Aux input
- USB input
- Plastic +metal cover case, build in DSP output
- LED display & IR Remote





### **Specification:**

Items	Specifications
Power	AC: AC 110V-240V 50Hz/60Hz DC: DC-18V/2A
Output Power	20W*2=40W R.M.S.
Speaker Driver	Full Range 2.25"*4pcs
Impedance	Full Range 4Ω*4pcs
Frequency	35Hz-20KHz
Sensitivity	≥ 72dB
THD	</=1%(1K/1W)
Bluetooth	V5.0
BT distance:	10m
Input sensitivity	soundbar : 800mV±50mV
size(mm)	600*60*60mm
Accessories	Adaptor, Remote control, manual, optical cable, line in cable , wall mount screw
packing Size	710*96*116mm( 1.78kg)
Carton box size	725*254*312mm( 11.68kg) 6pcs
Loading qty	20ft: 2760pcs 40HQ: 6780pcs

## ASB-40W SOUNDBAR

### Package Include:



Manual



Aux



3.5mm



Optical cable



Remote control



Screw



Adaptor

## ABS-74W SUBWOOFER SOUNDBAR

### Accessories:




### Product View:



Key panel



Interface




Remote Control

## **ABS-74W SUBWOOFER SOUNDBAR**

### **Product Features:**

- 2.25" Mid Tweeter \*2 & 2.25" Subwoofer \*2 soundbar
- Wireless Bluetooth V5.0 input
- HDMI input
- Optical input
- Aux input
- USB input
- Plastic + metal cover case, build in DSP output
- LED display & IR Remote

### **Package include:**



Manual



Aux cable



3.5mm  
Audio cable



Optical cable



Remote control



Screw



Adaptor

## **ABS-74W SUBWOOFER SOUNDBAR**

### **Specification:**

Items	Specifications
Power	AC: AC 110V-240V 50Hz/60Hz DC: DC-18V/2A
Output Power	2x17W+40W =74W R.M.S.
Speaker Units:	2.25" Mid-Tweeter x 2 & 2.25"Subwoofer x 2
Impedance	Full Range 8Ω*4pcs
Frequency	
Sensitivity	
THD	
Bluetooth	V5.0
BT distance:	10m
Input sensitivity	
size(mm)	product size 810*98.3*65.6mm / package size 950*160*155 mm
Accessories	Adaptor x 1, Remote Control x 1, 3.5mm Aux cable x 1, RCA Cable x 1, Optical Cable x 1, HDMI Cable x 1, wall mount screw
Packing Size	980*350*340* mm
Carton box size	725*254*312mm( 11.68kg) 4 pcs
Loading qty	20GP: 864 pcs / 40GP : 1728 pcs

## ABS-74W SUBWOOFER SOUNDBAR



98" appx 2277 mm

86" appx 1946 mm

75" appx 1700 mm

65" appx 1473 mm

600 mm

**40W**

810 mm

**34W+Subwoofer 40W**

Area of room	Power of Speaker	Size of IFPD
5-10 m <sup>2</sup>	10W-30W	55"
10-15m <sup>2</sup>	15W-50W	65"
15-25m <sup>2</sup>	30W-100W	65"
25-50m <sup>2</sup>	100W-200W	75"
50-70m <sup>2</sup>	200W- 350W	86"
> 70m <sup>2</sup>	>350W	98"